Answer Key

of

Civil Engineering

GATE-2015

Afternoon Session | **8th Feb, 2015**

MADE EASY

MADE EASY

India's Best Institute for IES, GATE & PSUs

Write us at info@madeeasy.in | Phone: 011-45124612, 9958995830

www.madeeasy.in

Section - I (General Aptitude)

Q.1 Four cards are randomly selected from a pack of 52 cards. If the first two cards are kings, what is the probability that the third card is a king?

(a) $\dfrac{4}{52}$

(b) $\dfrac{2}{50}$

(c) $(1/52) \times (1/52)$

(d) $(1/52) \times (1/51) \times (1/50)$

Ans. **(b)**

• • • End of Solution

Q.2 Choose the statement where underlined word is used correctly

(a) The minister insured the victims that everything would be all right.

(b) He ensured that the company will not have to bear any loss.

(c) The actor got himself ensured against any accident.

(d) The teacher insured students of good results.

Ans. **(b)**

• • • End of Solution

Q.3 Choose the most appropriate word from the options given below to complete the following sentence

The official answered _____ that the complaints of the citizen would be looked into.

(a) respectably

(b) respectfully

(c) reputably

(d) respectively

Ans. **(b)**

• • • End of Solution

Q.4 Mr. Vivek walks 6 meters North-East, then turns and walks 6 meters South-East, both at 60 degrees to East. He further moves 2 meters South and 4 meters West. What is the straight distance in meters between the point he started from and the point he finally reached?

(a) $2\sqrt{2}$

(b) 2

(c) $\sqrt{2}$

(d) $1/\sqrt{2}$

Ans. **(a)**

• • • End of Solution

Q.5 Which word is not a synonym for the word *vernacular*?

(a) regional

(b) indigeneous

(c) indigent

(d) colloquial

Ans. **(c)**

• • • End of Solution

Q.6 Read the following table giving sales data of five types of batteries for year 2006 to 2012

Year	Type I	Type II	Type III	Type IV	Type V
2006	75	144	114	102	108
2007	90	126	102	84	126
2008	96	114	75	105	135
2009	105	90	150	90	75
2010	90	75	135	75	90
2011	105	60	165	45	120
2012	115	85	160	100	145

Out of the following, which type of battery achieved highest growth between the years 2006 and 2012?

(a) Type V   (b) Type III

(c) Type II   (d) Type I

Ans. **(d)**

• • • End of Solution

Q.7 How many four digit numbers can be formed with the 10 digits 0, 1, 2, ... 9 if no number can start with 0 and if repetitions are not allowed?

Ans. **(4536)**

• • • End of Solution

Q.8 The given question is followed by two statements: select the most appropriate option that solves the question

Capacity of a solution tank A is 70% of the capacity of tank B. How many gallons of solution are in tank A and tank B?

Statements:
I. Tank A is 80% full and tank B is 40% full
II. Tank A if full contains 14,000 gallons of solution

(a) Statement I alone is sufficient

(b) Statement II alone is sufficient

(c) Either statement I or II alone is sufficient

(d) Both the statements I and II together are sufficient

Ans. **(d)**

• • • End of Solution

Q.9 The word similar in meaning to 'dreary' is
(a) cheerful   (b) dreamy
(c) hard   (d) dismal

Ans. **(d)**

● ● ● *End of Solution*

Q.10 There are 16 teachers who can teach Thermodynamics (TD), 11 who can teach Electrical Sciences (ES), and 5 who can teach both TD and Engineering Mechanics (EM). There are a total of 40 teachers, 6 cannot teach any of the three subjects, i.e. EM, ES or TD. 6 can teach only ES. 4 can teach all three subjects, i.e. EM, ES and TD. 4 can teach ES and TD. How many can teach both ES and EM but not TD?
(a) 1   (b) 2
(c) 3   (d) 4

Ans. **(a)**

Section - II (Civil Engineering)

Q.1 A groundwater sample was found to contain 500 mg/L total dissolved solids (TDS). TDS (in %) present in the sample is _____.

Ans. **(0.05)**

● ● ● *End of Solution*

Q.2 If the water content of a fully saturated soil mass is 100%, the void ratio of the sample is
(a) less than specific gravity of soil
(b) equal to specific gravity of soil
(c) greater than specific gravity of soil
(d) independent of specific gravity of soil

Ans. **(b)**

● ● ● *End of Solution*

Q.3 SO_2 and CO adversely affect
(a) oxygen carrying capacity of blood and functioning of lungs respectively
(b) functioning of the respiratory system and brain respectively
(c) functioning of the respiratory system and oxygen carrying capacity of blood respectively
(d) functioning of air passages and chest respectively.

Ans. **(c)**

● ● ● *End of Solution*

Q.4 A hydraulic jump takes place in a frictionless rectangular channel. The pre-jump depth is y_p. The alternate and sequent depths corresponding to y_p are y_a and y_s respectively. The correct relationship among y_p, y_a and y_s is
(a) $y_a < y_s < y_p$
(b) $y_p < y_s < y_a$
(c) $y_p < y_s = y_a$
(d) $y_a = y_s = y_p$

Ans. **(c)**

● ● ● *End of Solution*

Q.5 The following statements are made related to the lengths of turning lanes at signalised intersections
(i) 1.5 times the average number of vehicles (by vehicle type) that would store in turning lane per cycle during the peak hour.
(ii) 2 times the average number of vehicles (by vehicle type) that would store in turning lane per cycle during the peak hour.
(iii) Average number of vehicles (by vehicle type) that would store in the adjacent through lane per cycle during the peak hour.
(iv) Average number number of vehicles (by vehicle type) that would store in all lanes per cycle during the peak hour.
As per the IRC recommendations, the correct choice for design length of storage lanes is
(a) Maximum of (ii and iii)
(b) Maximum of (i and iii)
(c) Average of (i and iii)
(d) Only (iv)

Ans. **(*)**

● ● ● *End of Solution*

Q.6 A horizontal beam *ABC* is loaded as shown in the figure below. The distance of the point of contraflexure from end *A* (in m) is _____.

Ans. **(0.25)**

● ● ● *End of Solution*

Q.7 In Newton-Raphson iterative method, the initial guess value (x_{ini}) is considered as zero while finding the roots of the equation: $f(x) = -2 + 6x - 4x^2 + 0.5x^3$. The correction, Δx, to be added to x_{ini} in the first iteration is _____.

Ans. **(0.333)**

● ● ● *End of Solution*

Q.8 The relationship between the length scale ratio (L_r) and the velocity scale ratio (V_r) in hydraulic models, in which Froude dynamic similarity is maintained, is

(a) $V_r = L_r$

(b) $L_r = \sqrt{V_r}$

(c) $V_r = L_r^{1.5}$

(d) $V_r = \sqrt{L_r}$

Ans. (d)

● ● ● *End of Solution*

Q.9 The relationship between porosity (η), specific yield (S_y) and specific retention (S_r) of an unconfined aquifer is

(a) $S_y + S_r = \eta$

(b) $S_y + \eta = S_r$

(c) $S_r + \eta = S_y$

(d) $S_y + S_r + \eta = 1$

Ans. (a)

● ● ● *End of Solution*

Q.10 In a leveling work, sum of the Back Sight (B.S.) and Fore Sight (F.S.) have been found to be 3.085 m and 5.645 m respectively. If the Reduced Level (R.L.) of the starting station is 100.000 m, the R.L. (in m) of the last station is _____.

Ans. (97.440)

● ● ● *End of Solution*

Q.11 Surcharge loading required to be placed on the horizontal backfill of a smooth retaining vertical wall so as to completely eliminate tensile crack is

(a) $2c$

(b) $2ck_a$

(c) $2c\sqrt{k_a}$

(d) $2c / \sqrt{k_a}$

Ans. (d)

● ● ● *End of Solution*

Q.12 A column of size 450 mm × 600 mm has unsupported length of 3.0 m and is braced against side sway in both directions. According to IS 456:2000, the minimum eccentricities (in mm) with respect to major and minor principle axes are

(a) 20.0 and 20.0

(b) 26.0 and 21.0

(c) 26.0 and 20.0

(d) 21.0 and 15.0

Ans. (b)

● ● ● *End of Solution*

MADE EASY
India's Best Institute for IES, GATE & PSUs

Announces

NEW BATCHES ANNOUNCED
(Admission Open for all batches)

Regular Batches for IES, GATE & PSUs Session 2015-16

- More than 1000 teaching hrs.
- Coverage of Technical & Non-technical syllabus
- Complete Study Materials
- GATE/ESE Test Series
- Periodic Classroom Tests followed by discussion
- Interview guidance

Starting Date : May 2015

Venue: MADE EASY Delhi/Noida

Streams : EC/EE/CE/ME/CS/IN/PI

Weekend Batches for IES, GATE & PSUs Session 2015-16

Batches at Delhi Centre

Stream	Commencement
ME, CE	14th March, 2015
EC, EE	31st Jan, 2015

Batches at Noida Centre

Stream	Commencement
EC, EE	22nd Feb, 2015
ME	21st Feb, 2015

General Studies & English Batches for ESE - 2015

- 45 days (200 hrs)
- 4 hrs/day
- 6 to 7 day/week

Venue : All MADE EASY Centres

Starting Date : 1st & 2nd week of Feb, 2015

Conventional Questions Practice Programme + Test Series for ESE - 2015

- Designed to improve answer writing skills
- Quality & Probable Questions for ESE-2015
- Thorough coverage of all major subjects
- 19 Tests in ESE-2015 Test Series
- 45 days (200 hrs) • 5 to 6 days per week
- Timing : 5:30 pm to 9:30 pm

Starting Date : 15th Mar, 2015

Venue : Delhi Centre

- **Branches :** EC/EE/CE/ME

Post GATE Syllabus + Test Series for ESE - 2015

- Technical syllabus (Post GATE section)
- General Studies Syllabus
- 6 to 7 days/Week
- 60 to 70 days (350 hrs)
- 4 to 6 hrs/day
- 19 Tests (Objective + Conventional)

Venue : All MADE EASY Centres

- **Branches :** EC/EE/ME/CE

All India Classroom Test Series for ESE - 2015

- Objective & Conventional tests as per ESE pattern
- Evaluation of answer sheets as per UPSC norms
- Quality & probable questions for ESE-2015
- Total 19 Tests

Venue : All MADE EASY Centres

Starting Date : 11th Apr, 2015

- **Branches :** EC/EE/CE/ME

For more details at :

Corporate Office: 44-A/I, Kalu Sarai, Sarvapriya Vihar, New Delhi-110016

011-45124612

www.madeeasy.in

Q.13 Given, $i = \sqrt{-1}$, the value of the define integral, $I = \int\limits_{0}^{\pi/2} \dfrac{\cos x + i \sin x}{\cos x - i \sin x} dx$ is

(a) 1   (b) −1

(c) i (d) $-i$

Ans. **(c)**

● ● ● *End of Solution*

Q.14 A steel member 'M' has reversal of stress due to live loads, whereas another member 'N' has reversal of stress due to wind load. As per IS 800:2007, the maximum slenderness ratio permitted is

(a) less for member 'M' than that of member 'N'

(b) more for member 'M' than for member 'N'

(c) same for both the members

(d) not specified in the Code

Ans. **(a)**

● ● ● *End of Solution*

Q.15 A superspeedway in New Delhi has among the highest super-elevation rates of any track on the Indian Grand Prix circuit. The track requires drivers to negotiate turns with a radius of 335 m and 33° banking. Given this information, the coefficient of side friction required in order to allow a vehicle to travel at 320 km/h along the curve is

(a) 1.761   (b) 0.176

(c) 0.253   (d) 2.530

Ans. **(a)**

● ● ● *End of Solution*

Q.16 The combined correction due to curvature and refraction (in m) for distance of 1 km on the surface of Earth is

(a) 0.0673   (b) 0.673

(c) 7.63   (d) 0.763

Ans. **(a)**

● ● ● *End of Solution*

Q.17 Prying forces are
(a) shearing forces on the bolts because of the joints
(b) tensile forces due to the flexibility of connected parts
(c) bending forces on the bolts because of the joints
(d) forces due the friction between connected parts

Ans. **(b)**

● ● ● *End of Solution*

Q.18 For the plane stress situation shown in the figure, the maximum shear stress and the plane on which it acts are

σ_y = 50 MPa

σ_x = 50 MPa σ_x = 50 MPa

σ_y = 50 MPa

(a) -50 MPa, on a plane 45° clockwise w.r.t. x-axis
(b) -50 MPa, on a plane 45° anti-clockwise w.r.t. x-axis
(c) 50 MPa, at all orientations
(d) Zero, at all orientations

Ans. **(d)**

● ● ● *End of Solution*

Q.19 In friction circle method of slope analysis, if r defines the radius of the slip circle, the radius of friction circle is
(a) $r \sin \phi$ (b) r
(c) $r \cos \phi$ (d) $r \tan \phi$

Ans. **(a)**

● ● ● *End of Solution*

Q.20 $\lim\limits_{x \to \infty} \left(1 + \dfrac{1}{x}\right)^{2x}$ is equal to
(a) e^{-2} (b) e
(c) 1   (d) e^{2}

Ans. **(d)**

● ● ● *End of Solution*

Crack in 1st Attempt
IES, GATE & PSUs

Mr. B.Singh (Ex. IES)
CMD, MADE EASY Group

Why MADE EASY !

Comprehensive Coverage
- More than 1000 teaching hours
- Freshers can easily understand
- Emphasis on fundamental concepts
- Basic level to advance level
- Coverage of whole syllabus (Technical and Non technical)

Focused and Comprehensive Study Books
- Thoroughly revised and updated
- Focused and relevant to exam
- Comprehensive so that, there is no need of any other text book
- Designed by experienced & qualified R&D team of MADE EASY

Dedication and Commitment
- Professionally managed
- No cancellation of classes
- Pre-planned class schedule
- Starting and completion of classes on time
- Subjects completed in continuity
- Co-operation and discipline

Complete guidance for written and personality test
MADE EASY has a dedicated team which provides round the year support for
- Interpersonal Skills
- GD and Psychometric Skills
- Communication Skills
- Mock Interviews

Motivation & Inspiration
- Motivational Sessions by experts
- Expert Guidance support
- Interaction with ESE & GATE toppers

Regular updation on Vacancies/Notifications
- Display on notice board and announcement in classroom for vacancies notified by government departments
- Notification of ESE, GATE, PSUs and state services exams

Professionally Managed & Structured Organization
- MADE EASY has pool of well qualified, experienced and trained management staff

Best Pool of Faculty
- India's best brain pool
- Full time and permanent
- Regular brain storming sessions and training
- Combination of senior professors and young energetic top rankers of ESE & GATE

Consistent, Focused and Well planned course curriculum
- Course planning and design directly under our CMD
- GATE & ESE both syllabus thoroughly covered
- Course coordination and execution directly monitored by our CMD

Best Infrastructure & Support
- Well equipped audio-visual classrooms
- Clean and inspiring environment
- In campus facility of photocopy, bookshop and canteen
- Best quality teaching tools

Regular Assessment of Performance
- Self assessment tests (SAT)
- ESE all India Classroom Test Series
- GATE Online Test Series
- Subject-wise classroom tests with discussion
- Examination environment exactly similar to GATE & UPSC exams

Counseling Seminars and Guidance
- Career counseling
- Post GATE counseling for M.Tech admissions
- Techniques for efficient learning
- Full Time Interview support for IES & PSUs

Timely completion of syllabus
- 4-6 hrs classes per day
- Well designed course curriculum
- Syllabus completion much before the examination date

Maximum Selections with Top Rankers
- MADE EASY is the only institute which has consistently produced Toppers in IES, GATE & PSUs
- Largest Selections in GATE
- Largest Selections in IES

**Audio Visual Teaching** | **Hostel Support** | **Safe, Secured and Hygienic Campus Environment**

📞 011-45124612 | 🌐 www.madeeasy.in

Q.21 While minimizing the function $f(x)$, necessary and sufficient conditions for a point, x_0 to be a minima are

(a) $f'(x_0) > 0$ and $f''(x_0) = 0$ (b) $f'(x_0) < 0$ and $f''(x_0) = 0$

(c) $f'(x_0) = 0$ and $f''(x_0) < 0$ (d) $f'(x_0) = 0$ and $f''(x_0) > 0$

Ans. **(d)**

● ● ● *End of Solution*

Q.22 A nozzle is so shaped that the average flow velocity changes linearly from 1.5 m/s at the beginning to 15 m/s at its end in a distance of 0.375 m. The magnitude of the convective acceleration (in m/s²) at the end of the nozzle is _____.

Ans. **(540)**

● ● ● *End of Solution*

Q.23 Net ultimate bearing capacity of a footing embedded in a clay stratum
(a) increases with depth of footing only
(b) increases with size of footing only
(c) increases with depth and size of footing
(d) is independent of depth and size of footing

Ans. **(d)**

● ● ● *End of Solution*

Q.24 Let $A = \left[a_{ij} \right], 1 \leq i, j \leq n$ with $n \geq 3$ and $a_{ij} = i.j$. The rank of A is

(a) 0   (b) 1

(c) $n - 1$ (d) n

Ans. **(b)**

● ● ● *End of Solution*

Q.25 A guided support as shown in the figure below is represented by three springs (horizontal, vertical and rotational) with stiffness k_x, k_y and k_θ respectively. The limiting values of k_x, k_y and k_θ are

(a) ∞, 0, ∞   (b) ∞, ∞, ∞
(c) 0, ∞, ∞   (d) ∞, ∞, 0

Ans. **(a)**

● ● ● *End of Solution*

Q.26 A steel strip of length, $L = 200$ mm is fixed at end A and rests at B on a vertical spring of stiffness, $k = 2$ N/mm. The steel strip is 5 mm wide and 10 mm thick. A vertical load, $P = 50$ N is applied at B, as shown in the figure. Considering $E = 200$ GPa, the force (in N) developed in the spring is _____.

Ans. **(3.0075)**

● ● ● End of Solution

Q.27 A simply supported beam AB of span, $L = 24$ m is subjected to two wheel loads acting at a distance, $d = 5$ m apart as shown in the figure below. Each wheel transmits a load, $P = 3$ kN and may occupy any position along the beam. If the beam is an I-section having section modulus, $S = 16.2$ cm^3, the maximum bending stress (in GPa) due to the wheel loads is _____.

Ans. **(1.783)**

● ● ● End of Solution

Q.28 For step-size, $\Delta x = 0.4$, the value of following integral using Simpson's 1/3 rule is _____.

$$\int_0^{0.8} \left(0.2 + 25x - 200x^2 + 675x^3 - 900x^4 + 400x^5\right)dx$$

Ans. **(1.3674)**

● ● ● End of Solution

MADE EASY
India's Best Institute for IES, GATE & PSUs

Announces

SUPER TALENT BATCH
Especially meant for meritorious students

Super Talent Batch is designed for students with special capabilities and excellent academic records. The curriculum of this batch is same as that of Regular classroom study course but admissions are provided only for those students who fulfill the eligibility criteria.

Features :

- More competitive environment
- Classes by senior faculties
- In depth coverage of the syllabus
- High caliber student group
- Solving more problems
- Discussion & doubt clearing classes

» **COURSE DURATION :** 9 to 10 months

» **BATCH TYPE :** Regular (6-7 days a week)

» **Streams Offered :** CE ME EE E&T

ADMISSIONS OPEN

SUPER TALENT BATCHES will be commencing *from* **2nd week of Jan, 2015**

Students of Super Talent Batch step ahead in ESE-2014 written examination

107 Students from **Civil Super Talent Batch** called for Interview (from one single batch)

42 Students from **Mechanical Super Talent Batch** called for Interview (from one single batch)

29 Students from **Electrical Super Talent Batch** called for Interview (from one single batch)

32 Students from **Electronics Super Talent Batch** called for Interview (from one single batch)

First Super Talent Batch has produced Impressive result in GATE-2014

4 Ranks in Top 5 in GATE-2014 are from MADE EASY Super Talent Batch.

1 AIR — Sidhant Sen — AIR-1 CE

2 AIR — Gaurav R. Rai — AIR-2 CE

3 AIR — Babu Lal — AIR-3 ME

4 AIR — Shabin Asaf — AIR-4 CE

Note : Super Talent batches are conducted at MADE EASY Delhi centre only

For more details at :

Corporate Office: 44-A/1, Kalu Sarai, Sarvapriya Vihar, New Delhi-110016

📞 011-45124612   🌐 www.madeeasy.in

Q.29 A fixed end beam is subjected to a load, W at 1/3rd span from the left support as shown in the figure. The collapse load of the beam is

(a) $16.5\ M_P/L$ (b) $15.5\ M_P/L$
(c) $15.0\ M_P/L$ (d) $16.0\ M_P/L$

Ans. **(c)**

●●● End of Solution

Q.30 Consider the following second order linear differential equation

$$\frac{d^2 y}{dx^2} = -12x^2 + 24x - 20$$

The boundary conditions are: at $x = 0$, $y = 5$ and $x = 2$, $y = 21$

The value of y at $x = 1$ is _____.

Ans. **(18)**

●●● End of Solution

Q.31 A pipe of 0.7 m diameter has a length of 6 km and connects two reservoirs A and B. The water level in reservoir A is at an elevation 30 m above the water level in reservoir B. Halfway along the pipe line, there is a branch through which water can be supplied to a third reservoir C. The friction factor of the pipe is 0.024. The quantity of water discharged into reservoir C is 0.15 m³/s. Considering the acceleration due to gravity as 9.81 m/s² and neglecting minor losses, the discharge (in m³/s) into the reservoir B is _____.

Ans. **(0.5716)**

●●● End of Solution

Q.32 In a system two connected rigid bars AC and BC are of identical length, L with pin supports at A and B. The bars are interconnected at C by a frictionless hinge. The rotation of the hinge is restrained by a rotational spring of stiffness, k. The system initially assumes a straight line configuration, ACB. Assuming both the bars as weightless, the rotation at supports, A and B, due to a transverse load, P applied at C is

(a) $\dfrac{PL}{4k}$

(b) $\dfrac{PL}{2k}$

(c) $\dfrac{P}{4k}$

(d) $\dfrac{Pk}{4L}$

Ans. **(b)**

━━━━━━━━━━━━━━━━━━━━━━━━ ● ● ● *End of Solution*

Q.33 In Marshall method of mix design, the coarse aggregate, fine aggregate, fines and bitumen having respective values of specific gravity 2.60, 2.70, 2.65 and 1.01, are mixed in the relative proportions (% by weight) of 55.0, 35.8, 3.7 and 5.5 respectively. The theoretical specific gravity of the mix and the effective specific gravity of the aggregates in the mix respectively are

(a) 2.42 and 2.63

(b) 2.42 and 2.78

(c) 2.42 and 2.93

(d) 2.64 and 2.78

Ans. **(a)**

━━━━━━━━━━━━━━━━━━━━━━━━ ● ● ● *End of Solution*

Q.34 The average surface area of a reservoir in the month of June is 20 km^2. In the same month, the average rate of inflow is 10 m^3/s, outflow rate is 15 m^3/s, monthly rainfall is 10 cm monthly seepage loss is 1.8 cm and the storage change is 16 million m^3. The evaporation (in cm) in that month is

(a) 46.8

(b) 136.0

(c) 13.6

(d) 23.4

Ans. **(b)**

━━━━━━━━━━━━━━━━━━━━━━━━ ● ● ● *End of Solution*

Q.35 A triangular gate with a base width of 2 m and a height of 1.5 m lies in a vertical plane. The top vertex of the gate is 1.5 m below the surface of a tank which contains oil of specific gravity 0.8. Considering the density of water and acceleration due to gravity to be 1000 kg/m^3 and 9.81 m/s^2, respectively, the hydrostatic force (in kN) exerted by the oil on the gate is _____.

Ans. **(29.43)**

━━━━━━━━━━━━━━━━━━━━━━━━ ● ● ● *End of Solution*

Q.36 A water treatment plant of capacity, 1 m^3/s has filter boxes of dimensions 6 m × 10 m. Loading rate to the filters is 120 m^3/day/m^2. When two of the filters are out of service for back washing, the loading rate (in m^3/day/m^2) is _____.

Ans. **(144)**

━━━━━━━━━━━━━━━━━━━━━━━━ ● ● ● *End of Solution*

Q.37 The velocity components of a two dimensional plane motion of a fluid are:

$$u = \frac{y^3}{3} + 2x - x^2 y \quad \text{and} \quad v = xy^2 - 2y - \frac{x^2}{3}.$$

The correct statement is:
(a) Fluid is incompressible and flow is irrotational
(b) Fluid is incompressible and flow is rotational
(c) Fluid is compressible and flow is irrotational
(d) Fluid is compressible and flow is rotational

Ans. **(a)**

● ● ● *End of Solution*

Q.38 The probability density function of a random variable, x is

$$f(x) = \frac{x}{4}(4 - x^2) \quad \text{for } 0 \le x \le 2$$

$$= 0$$

The mean, μ_x of the random variable is _____.

Ans. **(1.066)**

● ● ● *End of Solution*

Q.39 In a pre-stressed concrete beam section shown in the figure, the net loss is 10% and the final pre-stressing force applied at X is 750 kN. The initial fiber stresses (in N/mm^2) at the top and bottom of the beam were:

b = 250 mm
d_1 = 200 mm
d_2 = 100 mm

(a) 4.166 and 20.833
(b) −4.166 and −20.833
(c) 4.166 and −20.833
(d) −4.166 and 20.833

Ans. **(d)**

● ● ● *End of Solution*

Q.40 A 4 m thick layer of normally consolidated clay has an average void ratio of 1.30. Its compression index is 0.6 and coefficient of consolidation is 1 m^2/yr. If the increase in vertical pressure due to foundation load on the clay layer is equal to the existing effective overburden pressure, the change in the thickness of the clay layer is _____ mm.

Ans. **(314)**

• • • *End of Solution*

Q.41 Ultimate BOD of a river water sample is 20 mg/L. BOD rate constant (natural log) is 0.15 day^{-1}. The respective values of BOD (in %) exerted and remaining after 7 days are:

(a) 45 and 55   (b) 55 and 45
(c) 65 and 35   (d) 75 and 25

Ans. **(c)**

• • • *End of Solution*

Q.42 According to the concept of Limit State Design as per IS456: 2000, the probability of failure of a structure is _____.

Ans. **(0.0975)**

• • • *End of Solution*

Q.43 Match the information related to test on aggregates given in Group-I with that in Group-II.

Group-I	**Group-II**
P. Resistance to impact	**1.** Hardness
Q. Resistance to wear	**2.** Strength
R. Resistance to weathering action	**3.** Toughness
S. Resistance to crushing	**4.** Soundness

(a) P-1, Q-3, R-4, S-2   (b) P-3, Q-1, R-4, S-2
(c) P-4, Q-1, R-3, S-2   (d) P-3, Q-4, R-2, S-1

Ans. **(b)**

• • • *End of Solution*

Q.44 A 6 m high retaining wall having a smooth vertical back face retains a layered horizontal backfill. Top 3 m thick layer of the backfill is sand having an angle of internal friction, $\phi = 30°$ while the bottom layer is 3 m thick clay with cohesion, $c = 20$ kPa. Assume unit weight for both sand and clay as 18 kN/m^3. The total active earth pressure per unit length of the wall (in kN/m) is:

MADE EASY

India's Best Institute for IES, GATE & PSUs

Announces

Conventional Questions
Practice Batch *for* ESE - 2015

These batches are designed for improving the capability to answer conventional/subjective type questions appearing in engineering services examination. Special emphasis is given on writing skills, choosing questions and proper presentation of answers. Students will be taught smart and short cut methods to solve the numerical questions.

» **COURSE DURATION:**
45-50 days (200 teaching hours)

» **BATCH TYPE :**
Regular (6-7 days a week)

» **Streams Offered :**
CE ME EE E&T

ADMISSIONS OPEN

BATCHES COMMENCING *from*
15th March
2015

For more details at :

Corporate Office: 44-A/1, Kalu Sarai, Sarvapriya Vihar, New Delhi-110016

011-45124612   www.madeeasy.in

(a) 150 (b) 216
(c) 156 (d) 196

Ans. (a)

● ● ● *End of Solution*

Q.45 Stress path equation for tri-axial test upon application of deviatoric stress is, $q = 10\sqrt{3} + 0.5p$. The respective values of cohesion, c (in kPa) and angle of internal friction, ϕ are:

(a) 20 and 20° (b) 20 and 30°
(c) 30 and 30° (d) 30 and 20°

Ans. (b)

● ● ● *End of Solution*

Q.46 The two Eigen values of the matrix $\begin{bmatrix} 2 & 1 \\ 1 & p \end{bmatrix}$ have a ratio of 3 : 1 for $p = 2$. What is another value of p for which the Eigen values have the same ratio of 3 : 1?

(a) –2 (b) 1
(c) 7/3 (d) 14/3

Ans. (d)

● ● ● *End of Solution*

Q.47 Two pegs A and B were fixed on opposite banks of a 50 m wide river. The level was set up at A and the staff readings on Pegs A and B were observed as 1.350 m and 1.550 m, respectively. Thereafter the instrument was shifted and set up at B. The staff readings on Pegs B and A were observed as 0.750 m and 0.550 m, respectively. If the R.L. of Peg A is 100.20 m, the R.L. (in m) of Peg B is _____.

Ans. (100.00)

● ● ● *End of Solution*

Q.48 In a wastewater treatment plant, primary sedimentation tank (PST) designed at an overflow rate of 32.5 $m^3/day/m^2$ is 32.5 m long, 80 m wide and liquid depth of 2.25 m. If the length of he weir is 75 m, the weir loading rate (in $m^3/day/m$) is _____.

Ans. (112.667)

● ● ● *End of Solution*

Q.49 The relation between speed u (in km/h) and density k (number of vehicles/km) for a traffic stream on a road is $u = 70 - 0.7k$. The capacity on this road is _____ vph (vehicles/hour).

Ans. **(1750)**

— • • • *End of Solution*

Q.50 A 588 cm^3 volume of moist sand weighs 1010 gm. Its dry weight is 918 gm and specific gravity of solids, G is 2.67. Assuming density of water as 1 gm/cm^3, the void ratio is _____.

Ans. **(0.71)**

— • • • *End of Solution*

Q.51 A pile of diameter 0.4 m is fully embedded in a clay stratum having 5 layers, each 5 m thick as shown in the Figure below. Assume a constant unit weight of soil as 18 kN/m^3 for all the layers. Using λ-method (λ = 0.15 for 25 m embedment length) and neglecting the end bearing component, the ultimate pile capacity (in kN) is _____.

Ans. **(*)**

— • • • *End of Solution*

Q.52 A field channel has cultivable commanded area of 2000 hectares. The intensities of irrigation for gram and wheat are 30% and 50% respectively. Gram has a kor period of 18 days, kor depth of 12 cm, while wheat has a kor period of 18 days and a kor depth of 15 cm. The discharge (in m^3/s) required in the field channel to supply water to the commanded area during the kor period is _____.

Ans. **(1.4275)**

— • • • *End of Solution*

Q.53 The bearings of two inaccessible stations, S_1 (Easting 500 m, Northing 500 m) and S_2 (Easting 600 m, Northing 450 m) from a station S_3 were observed as 225° and 153° 26′ respectively. The independent Easting (in m) of station S_3 is:

(a) 450.000   (b) 570.710

(c) 550.000   (d) 650.000

Ans. **(c)**

● ● ● *End of Solution*

Q.54 A landfill is to be designed to serve a population of 200000 for a period of 25 years. The solid waste (SW) generation is 2 kg/person/day. The density of the un-compacted SW is 100 kg/m^3 and a compaction ratio of 4 is suggested. The ratio of compacted fill (i.e. SW + Cover) to compacted SW is 1.5. The landfill volume (in million m^3) required is _____.

Ans. **(13.6875)**

● ● ● *End of Solution*

Q.55 A simply supported reinforced concrete beam of length 10 m sags while undergoing shrinkage. Assuming a uniform curvature of 0.004 m^{-1} along the span, the maximum deflection (in m) of the beam at mid-span is _____.

Ans. **(0.05)**

● ● ● *End of Solution*

■■■■